




**MT37 Baiji**  
Mobile Computers

## Features

### Superior Scanning Capabilities.

MT37 Baiji's integrated 2D scan engine, equipped with Newland's 6th generation decoder chip, supports both 1D and 2D barcodes. The MT37 Baiji is set up to decode even damaged or poor-quality barcodes with ease and speed.

### User-focused Ergonomics.

Made for high-demand operations, the MT37 Baiji renders a lightweight & ergonomic design to reduce fatigue during extended work sessions. The numeric keypad with some additional navigation buttons and a capacitive touch screen provides users with all the input choices they need.

### Extended Battery Life.

The MT37 Baiji's 3300 mAh battery lasts up to 10 hours on a single charge. This enables you to get through your entire shift without re-charging or switching out devices.

### Customized Android OS.

Built on Android 8.1 Go, the MT37 Baiji offers extended data security features, including Android's application protection and admin management tools.

### Excellent Setup.

The MT37 Baiji is equipped with a Quad-Core processor, Android 8.1 Go OS, high-performance Dual-Band Wi-Fi, and Bluetooth 5.0 connection. Its rugged housing can withstand 1.2m drops to concrete.

### DCAPP Software.

The MT37 Baiji comes with pre-installed and pre-licensed Newland DCAPP by Sysdev. Newland's DCAPP is a ready-to-use app that allows you to collect, transfer, and export data in a very simple way. With DCAPP, you can quickly start to collect data with 5 included pre-established templates of ready-to-be-used apps. It can then be synchronized with your PC or server to effortlessly export the gathered data.



## Suggested industries



Hospitality



Logistics



Retail



Warehousing

# MT37 Baiji Technical specifications

## Data Capture

|    |                          |
|----|--------------------------|
| 1D | All major 1D symbologies |
| 2D | All major 2D symbologies |

## Performance

|                  |                            |
|------------------|----------------------------|
| Operating System | Android 8.1 Go             |
| Processor        | 1.8GHz quad-core processor |
| Memory RAM       | 1GB                        |
| Memory Flash     | 8GB                        |

## Physical

|                 |                                          |
|-----------------|------------------------------------------|
| Audio           | Speaker; Microphone                      |
| Battery Type    | 3.8V, 3300mAh (non-removable)            |
| Dimensions (mm) | 158(W) × 59(D) × 18.3(H)mm               |
| Display         | 2.8" (320 × 240) capacitive touch screen |
| Interfaces      | USB Type-C (at the bottom)               |
| Keypad          | 24 keys                                  |
| Notifications   | Vibrator, speaker and multi-color LEDs   |
| SIM             | SIM-card                                 |
| Weight          | 155g (including battery)                 |

## Wireless

|            |                                                                                                                                    |
|------------|------------------------------------------------------------------------------------------------------------------------------------|
| WWAN RADIO | 2G: GSM: 850/900/1800/1900 MHz 3G: WCDMA: B1/B2/B5/B8; TD-SCDMA: B34/B39 4G: FDD-LTE: B1/B2/B3/B5/B8; TDD-LTE: B34/B38/B39/B40/B41 |
| WLAN RADIO | IEEE 802.11 a/b/g/n/ac, 2.4GHz and 5GHz                                                                                            |
| WPAN RADIO | Bluetooth 5.0 BLE                                                                                                                  |
| RFID       | 13.56MHz RFID ISO14443A/B, MIFARE, FeliCa, NFC Forum Tags, ISO15693                                                                |

## Environmental

|                                |                                                |
|--------------------------------|------------------------------------------------|
| Operating Temperature          | -20°C to 50°C (-4°F to 122°F)                  |
| Storage Temperature            | -30°C to 60°C (-22°F to 140°F)                 |
| Humidity                       | 5% to 95% (non-condensing)                     |
| Electro Static Discharge (ESD) | ±12kV (air discharge); ±8kV (direct discharge) |
| Drop                           | 1.2m drops to concrete                         |

## Accessories

|          |               |
|----------|---------------|
| Standard | Wrist lanyard |
| Optional | AC adapter    |

## Software

|                          |                          |
|--------------------------|--------------------------|
| MDM (certified)          | Ndevor                   |
| Configuration Tools      | Ndevor                   |
| Data Collection Software | Newland DCAPP by Kalipso |

### Newland EMEA HQ

+31 (0) 345 87 00 33

[info@newland-id.com](mailto:info@newland-id.com)

[newland-id.com](http://newland-id.com)

Feel free to contact us or a partner near you

visit [newland-id.com/partners](http://newland-id.com/partners)

Specifications are subject to change without notice

© Newland EMEA 2023, all rights reserved

# MT37 Baiji Technical specifications

| Warranty |         |
|----------|---------|
| Standard | 2 years |