



**Smaller, lighter  
3" portable printing  
you can rely on,  
*whatever the conditions***



***RJ Series***  
**RJ-3000 Series Portable Printers**

# PORTABLE PRINTERS FOR FAST, RELIABLE PRINTING ON THE MOVE...

**Our RJ-3000 Series portable printers are smaller and lighter than ever before.** They provide the perfect on-person device for mobile workers needing a 2" or 3" printing solution - from emergency services and field sales to delivery drivers, engineers and traffic wardens.

The RJ-3000 series can print up to 3" receipts, quotes and labels on the spot. Plus they are fast, saving everyone valuable time and money.

## DURABLE

IP54 rating and drop tested - designed to withstand even the harshest of conditions

## FAST

5" per second print speed

## EASY TO USE

3.3" colour LCD screen  
for more intuitive printing\*

## LIGHTWEIGHT

Ideal for printing on the move



Including a 3.3" colour screen\* and improved Serial, Bluetooth, Wireless and USB connectivity options, the RJ-3000 series is a step up from its competitors.

\* RJ-3150 model only.

Its thermal printing technology means users don't have to worry about ink or toner, while its IP54 certification—the toughest tests against dust and water—means you are assured of its continued reliability whatever the conditions. Plus ZPL compatibility also allows existing applications for label/receipt printers to work with the RJ device.

# VERTICAL MARKETS/APPLICATIONS

## RETAIL

Can be used in store for receipt printing, shelf labelling and price reduction labels as well as in the storeroom for stock management.



## FIELD SERVICE

Engineers out on the road can use the RJ-3000 to print service reports for customers they are visiting, increasing customer confidence and minimising future queries.



## LOGISTICS/DELIVERIES

Busy delivery drivers can print out updated delivery notes and order sheets with the RJ-3000, helping to keep them on the move and in the right place at the right time.



## WAREHOUSING

Operatives can stay efficient in the chaos of the warehouse, keeping on top of printing and labelling finished goods, shelving, bins, shipping and inventory.



## PUBLIC SAFETY/EMERGENCY SERVICES

The RJ-3000 printer can be used to produce various tickets out in the field, avoiding unnecessary, time-consuming paperwork back in the office.



## ACCESSORIES



POWER  
OPTIONS

## PAPER OPTIONS



| RD-P08E5                        | RD-P09E1                     |
|---------------------------------|------------------------------|
| CONTINUOUS<br>RECEIPT ROLL 76MM | WHITE PAPER LABEL<br>76X44MM |
|                                 |                              |

| PA-BT-001-A                           | PA-BT-001B                            | PA-AD-600UK     | PA-CD-600CG<br>12V                       | PA-CD-600WR<br>12V                        | PA-CR-001        | PA-BC-001                    |
|---------------------------------------|---------------------------------------|-----------------|------------------------------------------|-------------------------------------------|------------------|------------------------------|
| LI-ION<br>BATTERY for<br>RJ-3150 (EU) | LI-ION<br>BATTERY for<br>RJ-3050 (EU) | AC Adaptor (UK) | 12V Car Adaptor<br>(Cigarette<br>Socket) | 12V Car Adaptor<br>(Permanently<br>Wired) | RJ3000<br>CRADLE | RJ3000<br>BATTERY<br>CHARGER |
|                                       |                                       |                 |                                          |                                           |                  |                              |

| RJ Model Comparison            | RJ-3050                                                                                                                       | RJ-3150                                        |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|
| Print resolution               | 203dpi                                                                                                                        |                                                |
| Print technology               | Direct Thermal                                                                                                                |                                                |
| Printing speed                 | Maximum 5ips (inches per second) or 127mm/second (under Brother standard environment)                                         |                                                |
| Paper feed method              | Roll feed                                                                                                                     |                                                |
| Printable width                | Maximum 72mm                                                                                                                  |                                                |
| Print length                   | Maximum 1m                                                                                                                    |                                                |
| Roll width - max/mix           | 80 / 25 mm                                                                                                                    |                                                |
| Maximum roll diameter          | 66 mm                                                                                                                         |                                                |
| Dimension (mm)                 | 113(w) x 186 (d) x 80 (h)                                                                                                     | 116(w) x 189 (d) x 82 (h)                      |
| Weight                         | 610g including battery                                                                                                        | 680g including battery                         |
| Battery                        | Rechargeable Li-ion battery (PA-BT-001-B):7.2V                                                                                | Rechargeable Li-ion battery (PA-BT-001-A):7.2V |
| No of pages per battery charge | Continuously Printing 5300 labels (*Under Brother standard environment)                                                       |                                                |
| USB                            | Standard                                                                                                                      |                                                |
| Serial                         | Standard                                                                                                                      |                                                |
| Bluetooth (Ver 2.1 + EDR)      | Standard                                                                                                                      |                                                |
| Wireless (802.11 b/g/n)        | Standard                                                                                                                      |                                                |
| LCD                            | N/A                                                                                                                           | Colour 3.3"                                    |
| OS driver support              | Microsoft® , Windows Vista®, Windows® 7 / Windows® 8 Windows® 8.1, Microsoft® Windows Server® 2008 / 2008 R2 / 2012 / 2012 R2 |                                                |
| SDKs                           | Android 2.3 or later iOS 5 or later                                                                                           |                                                |
| Supported command              | Raster, ESC/P and P-touch template                                                                                            |                                                |
| Emulations                     | ZPL and CPCL                                                                                                                  |                                                |
| Barcode support                | Yes                                                                                                                           |                                                |
| RAM                            | 32MB                                                                                                                          |                                                |
| Flash                          | 32MB                                                                                                                          |                                                |
| Temperature                    | -10 to 50 deg C (During Operation) -20 to 60 deg C (During Storage)                                                           |                                                |
| Relative humidity              | 10-90% (No Condensation)                                                                                                      |                                                |
| Sealing Protection             | IP54                                                                                                                          |                                                |
| Drop Protection                | 1.2m (4ft)                                                                                                                    | 1.8m (6ft)                                     |
| Items Included                 | RJ Printer (RJ-3050 or RJ-3150), Belt Clip, Battery, Documentation, Drivers                                                   |                                                |

Contact:




**Brother UK Ltd**, Audenshaw, Manchester M34 5JD  
**Tel:**+44(0)333 777 4444 **Fax:**+44(0)161 931 2218  
**Web:** [www.brother.co.uk/mobile](http://www.brother.co.uk/mobile)

All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Material code



[www.logiscenter.com](http://www.logiscenter.com)  
902 050 030



[www.logiscenter.it](http://www.logiscenter.it)  
02 479 216 97



[www.logiscenter.de](http://www.logiscenter.de)  
info@logiscenter.de



[www.logiscenter.pt](http://www.logiscenter.pt)  
308 800 842

## About LOGISCENTER

Grupo Logiscenter is the leading provider in Europe of automatic identification and data capture equipments. Our products include barcode printing and reading devices, mobile computing devices, wireless access points, identification cards, and consumables.

## Reasons to work with us

**Our customers come first.** Our objective is not only selling our products but also holding a long-lasting relationship with our customers, based on the benefits and advantages we create for you and your company.

**The best brands.** We offer products from the best manufacturers worldwide.

**Expert technical support team.** Our support staff are experts in the products we sell. But not just the products, they can tell you the best solution for your particular problem or need.

**Largest stock.** We have a permanent stock of more than 12,000 products.

**Same-day shipping.** For all orders placed and confirmed before 16:00 on working days.

**Best prices.** With Logiscenter, you can be sure that you are paying a fair price for your products we will not overcharge you.

**Easy returns.** Damaged or defective products can be returned easily, for an exchange or reimbursement.

## Solutions for: Industry • Consumer • Mobility Transportation and Logistics • Retail • Health



Label printers



Barcode readers



Data terminals & PDA



PVC card printers



RFID



Consumables  
(labels, ribbons, PVC cards)

## Our Brands



MOTOROLA



Intermec®

Honeywell®

DATALOGIC™



datamax • o'neil

Metrologic

LXE

EPSON®

elo

star

unitech

PRINTRONIX

symbol®



All Brands  
Technical Service